

Applicant : Mounji G. Bawendi et al.
Serial No. : 10/632,922
Filed : August 4, 2003
Page : 2 of 12

Attorney's Docket No.: 14952.0274 C1D1/ MIT Case 8096

Amendments to the claims

The following listing of claims replaces all previous listings of claims.

1. (Previously presented) A library of compounds, wherein each compound in the library is bound to an individual support, each support having associated therewith more than one population of semiconductor nanocrystals, each population having a distinct characteristic spectral emission,

wherein each nanocrystal comprises a Group II-VI semiconductor, a Group III-V semiconductor, a Group IV semiconductor, or an alloy of ZnS, ZnSe, ZnTe, CdS, CdSe, CdTe, HgS, HgSe, HgTe, MgTe, GaN, GaP, GaAs, GaSb, InN, InP, InAs, InSb, AlAs, AlP, AlSb, AlS, Ge, Si, or Pb.

2. (Original) The library of claim 1, wherein each nanocrystal member comprises:
a core comprising a first semiconductor material; and
a shell layer overcoating the core, the shell comprising a second semiconductor material having a band gap greater than that of the core,

wherein the first semiconductor material and the second semiconductor material are the same or different.

3. (Original) The library of claim 1, wherein the characteristic spectral emission is a wavelength of emitted light, an intensity of emitted light, or both a wavelength and an intensity of emitted light.

Claims 4-11. (Canceled)

12. (Original) The library of claim 1, wherein each individual support is a bead, a pellet, a disk, a capillary, a hollow fiber, a needle, a solid fiber, a cellulose bead, a pore-glass bead, a silica gel, a polystyrene beads optionally cross-linked with divinylbenzene, a grafted copoly bead, a poly-acrylamide bead, a latex bead, a dimethylacrylamide bead optionally cross-

linked with N,N'-bis-acryloyl ethylene diamine, a glass particle coated with a hydrophobic polymer, or a low molecular weight non-cross-linked polystyrene.

13. (Original) The library of claim 1, wherein at least one compound in the library is a polypeptide, an oligonucleotide, or a sugar moiety.

Claims 14-25. (Canceled)

26. (Previously presented) A chemical library comprising a plurality of member chemicals, wherein each member chemical is bound to a support, each support having associated therewith more than one population of semiconductor nanocrystals, each population having a distinct characteristic spectral emission,

wherein each nanocrystal comprises a Group II-VI semiconductor, a Group III-V semiconductor, a Group IV semiconductor, an alloy of ZnS, ZnSe, ZnTe, CdS, CdSe, CdTe, HgS, HgSe, HgTe, MgTe, GaN, GaP, GaAs, GaSb, InN, InP, InAs, InSb, AlAs, AlP, AlSb, AlS, Ge, Si, or Pb.

27. (Original) The library of claim 26, wherein at least one member of the library is a polypeptide.

Claims 28-30. (Canceled)

31. (Original) The library of claim 26, wherein each nanocrystal comprises:
a core comprising a first semiconductor material; and
a shell layer overcoating the core, the shell comprising a second semiconductor material having a band gap greater than that of the core,
wherein the first semiconductor material and the second semiconductor material are the same or different.

32. (Original) The library of claim 26, wherein the characteristic spectral emission is a wavelength of emitted light, an intensity of emitted light, or both a wavelength and an intensity of emitted light.

33. (Original) The library of claim 26, wherein the each support is a bead, a pellet, a disk, a capillary, a hollow fiber, a needle, a solid fiber, a cellulose bead, a pore-glass bead, a silica gel, a polystyrene beads optionally cross-linked with divinylbenzene, a grafted co-poly bead, a poly-acrylamide bead, a latex bead, a dimethylacrylamide bead optionally cross-linked with N,N'-bis-acryloyl ethylene diamine, a glass particle coated with a hydrophobic polymer, or a low molecular weight non-cross-linked polystyrene.

Claims 34-36. (Canceled)

37. (Previously presented) A library of polypeptides comprising a plurality of polypeptides, wherein each polypeptide in the library is bound to an individual support, each support having associated therewith more population of semiconductor nanocrystals, each population having a distinct characteristic spectral emission and wherein each nanocrystal comprises a Group II-VI semiconductor, a Group III-V semiconductor, a Group IV semiconductor, an alloy of ZnS, ZnSe, ZnTe, CdS, CdSe, CdTe, HgS, HgSe, HgTe, MgTe, GaN, GaP, GaAs, GaSb, InN, InP, InAs, InSb, AlAs, AlP, AlSb, AlS, Ge, Si, or Pb.

38. (Original) The library of claim 37, wherein each nanocrystal comprises:
a core comprising a first semiconductor material; and
a shell layer overcoating the core, the shell comprising a second semiconductor material having a band gap greater than that of the core,
wherein the first semiconductor material and the second semiconductor material are the same or different.

39. (Original) The library of claim 37, wherein the characteristic spectral emission is a wavelength of emitted light, an intensity of emitted light, or both a wavelength and an intensity of emitted light.